











# IBC-Lines

**TOPLINE**  
UN-IBC

<b>PALLETS</b>		<b>MATERIALS</b>																															
<p><b>Basic:</b> </p> <p>timber pallet, stackable (heat treated on request)</p>		<p><b>Inner Receptacle (Bottle)</b></p> <ul style="list-style-type: none"> <li>• blow moulded HDPE</li> <li>• colour: natural</li> <li>• bevelled edges</li> <li>• colour upon request: black (carbon black) white (TiO<sub>2</sub>)</li> </ul>																															
<p><b>Upon Request:</b></p> <p>plastic runner 12/10 </p> <p>plastic runner 12/08 </p> <p>full-steel frame 12/10 </p> <p>full-steel runner 12/08 </p> <p>combination frame 12/10 </p>		<p></p> <p><b>Outer Frame</b></p> <ul style="list-style-type: none"> <li>• welded tubular steel frame</li> <li>• galvanized</li> </ul>																															
<b>CAPACITIES</b>		<b>CERTIFICATIONS</b>																															
<p><b>TOPLINE IBC</b></p> <ul style="list-style-type: none"> <li>• 1000 litres</li> <li>• 800 litres</li> <li>• 600 litres</li> </ul>		<p><b>UN 31 HA1/Y/D/BAM</b></p> <ul style="list-style-type: none"> <li>• maximum density 1.9</li> </ul>																															
<b>VALVES</b>		<b>FILLING OPENINGS</b>																															
<p>basic version: 50 mm fixed, </p> <table border="1"> <thead> <tr> <th>Volume/litres</th> <th>Ø mm</th> <th>detach-able</th> <th>gasket</th> </tr> </thead> <tbody> <tr> <td>600</td> <td>50</td> <td></td> <td></td> </tr> <tr> <td>800</td> <td>80</td> <td></td> <td></td> </tr> <tr> <td>1000</td> <td>50C</td> <td></td> <td></td> </tr> </tbody> </table> <p> PE-CP  EPDM  Viton C: Camloc</p>		Volume/litres	Ø mm	detach-able	gasket	600	50			800	80			1000	50C			<p>basic version:</p> <ul style="list-style-type: none"> <li>• 150 mm</li> </ul> <p>upon request:</p> <ul style="list-style-type: none"> <li>• 225 mm</li> <li>• DAE, S56 x 4 / R2"</li> <li>• Ventix, S56 x 4 / R2"</li> </ul>															
Volume/litres	Ø mm	detach-able	gasket																														
600	50																																
800	80																																
1000	50C																																
<b>DIMENSIONS (LxWxH)</b>		<b>DYNAMIC LOAD</b>																															
<p><b>TOPLINE 1000 I</b> 1.200 x 1.000 x 1.165</p> <p><b>TOPLINE 800 I</b> 1.200 x 1.000 x 990 oder</p> <p><b>TOPLINE 800 I EURO</b> 1.200 x 800 x 1.165</p> <p><b>TOPLINE 600 I</b> 1.200 x 800 x 990</p>		<p>Stacking height according to specific gravity of product</p> <ul style="list-style-type: none"> <li>• more than 1.5: 1-high</li> <li>• up to 1.5: 2-high</li> </ul> 																															
<b>WEIGHTS</b>		<b>STATIC LOAD</b>																															
<p><b>TOPLINE IBC</b></p> <table border="1"> <thead> <tr> <th>Volume (litres)</th> <th colspan="4">Weight (kg) – on pallets:</th> </tr> <tr> <th></th> <th>wood</th> <th>plastic</th> <th>steel</th> <th>combi</th> </tr> </thead> <tbody> <tr> <td>600</td> <td>57</td> <td>50</td> <td>60</td> <td></td> </tr> <tr> <td>800</td> <td>64</td> <td>54</td> <td>54</td> <td>49</td> </tr> <tr> <td>800 EURO</td> <td>67</td> <td>57</td> <td>62</td> <td></td> </tr> <tr> <td>1000</td> <td>70</td> <td>58</td> <td>58</td> <td>53</td> </tr> </tbody> </table>		Volume (litres)	Weight (kg) – on pallets:					wood	plastic	steel	combi	600	57	50	60		800	64	54	54	49	800 EURO	67	57	62		1000	70	58	58	53	<ul style="list-style-type: none"> <li>• 4 high</li> <li>• max. stacking load 4,700 kg</li> </ul> 	
Volume (litres)	Weight (kg) – on pallets:																																
	wood	plastic	steel	combi																													
600	57	50	60																														
800	64	54	54	49																													
800 EURO	67	57	62																														
1000	70	58	58	53																													
<b>LABEL PLATES (mm)</b>		<b>SIDE PLATE (mm)</b>																															
<p>722 x 350 1000 I, 800 I</p> <p>522 x 350 800 I EURO, 600 I</p>		<p>605 x 350 upon request</p>																															

